

TECHNICAL DATA SHEET

Close-End
Brass, Antique-brass, Aluminum, Nickel-silver
zip-fastener


VT10 – ZT



Raw Materials	
Chain	<ul style="list-style-type: none"> • brass • antique-brass • aluminum • nickel-silver
Tape	polyester yarn

Top Stop	brass
Bottom Stop	Brass, antique brass, aluminum, nickel-silver
Slider	zinc alloy

Dimensions (1)		
Chain width	b	5,50 - 6,00 mm
Width of fastener	B	30,00 - 32,00 mm
Tape width	t	15,00 - 16,00 mm
Wire thickness	o	0,90 mm



Functional properties (1)	
Slider moving force	< 6 N
Slider locking force	> 70 N

Mechanical properties (1)	
Lateral strength of fastener	> 500 N
Strength of closed end	> 30 N
Strength of top stop	> 80 N
Strength of puller attachment	> 150 N

Resistance to reciprocation (1)	
Tearing strength of zippers tired with 300 tiring section (open-close) was not less then 90% of the standards without tiring.	

Color fastness (2)		
Color fastness to light	7	MSZ 2102-2
Color fastness to washing 60 °C	5/5/5	MSZ EN 20105 CO 3


Color fastness to dry cleaning	5/5	MSZ 2104-1
Color fastness to perspiration (alkaline, acid)	5/5/5	MSZ 2105-4
Color fastness to dry/wet rubbing.	5/4-5	MSZ 2111-1

(1) According to the following standards: MSZ 8813/1, MSZ 8813/2, DIN 3417, DIN 3418, and DIN 3419-1. The tests were made by Concordia's own laboratory. The verification tests were made by ÉMI-TÜV SÜD Ltd.'s (KERMI) laboratory.


(2) Color fastness tests were made by ÉMI-TÜV SÜD Ltd.'s (KERMI) laboratory.

[•] **Available sliders:**

Auto Lock Sliders



V10NA V10NSA V10WDA V10SQA V10SA V10KKA V10FA V10DA-O V10PA



V10HA V10GA V10RCSA-O V10M2A V10HGA

[•] **Human ecology information:** all of raw materials that were used under productions of this type of zip fastener's tape and all of dyestuffs and textile chemicals were used to dyeing and finishing of this type of zip fastener's tape are corresponding to the Oeko-Tex Standard 100 product class II. That metal zippers made of brass or antique-brass aspect of human ecology are not harmful. That zippers made of nickel-silver and nickel plated sliders and top-stops are may unsafe – in case of direct skin contact - aspect of human ecology because of their nickel content.

[•] **Suggested applications:** jeans, leather clothes, knitted products.

[•] **Handling requirements:**

